Resolver 旋转变压器 レゾルバ

Minebea

Features of resolver

旋转变压器的特点 レゾルバの特長

Superior environment resistance

detected by the ratio of 2-phase output voltage.

which makes the amplitude of output voltage change in sine wave, therefore the angle detection is realized by the 2-phase output voltage with the phase di

I/O waveform of resolver

旋转变压器的输入输出波形

レゾルバの入出力波形

E: Voltage	E: 电压	E: 電圧
K: Transformation ratio	K: 变压比	K: 変圧比
θ : Rotor angle	θ：转子角度	θ：回転子角度

The rotor angle θ can be obtained through Sine output and Cosine output.

Minebea

集团地址一览 Group Address List

ミネベア株式会社　東京本部
http://www.minebea.co.jp
〒153-8636
東京都目黒区下目黒1-8-1
アルコタワー18F
TEL:03-6758-6701 FAX:03-6758-6711

中国
www.minebea-mpbao.com.cn
上海市卢湾区淮海中路300号
嘉华中心3303室
〒200020
TEL:021-6445-2268 FAX:021-6445-2299

东京都目黑区下目黑1-8-1
アルコタワー18F

美蓓亚贸易(深圳)有限公司大连分公司
大连市西岗区中山路147号
TEL:0411-8242-6450 FAX:0411-8242-6457

大连事务所
〒116011
大连市沙河口区会展路129号
大连国际会议中心A座1108室
TEL:0411-8472-1990 FAX:0411-8472-1991

名古屋支店
〒460-0003
愛知県名古屋市中区錦1-6-5
名古屋錦シティビル4F
TEL:052-231-1181 FAX:052-231-1157

八王子第一東京海上日動ビル

台湾美蓓亚电子技术
8F,28- China -Cheng Streer. Taipei, Taiwan 105, China(Tong Tai Business Building)
TEL:886-2-2718-2363
FAX:886-2-2718-4092

Korea
http://

Thailand

North America
http://www.nmbtc.com
Corporate Office

France
MNB Minebea S.a.r.l
Herdenen 10,78052
Villingen-Schwenningen,Germany
TEL:49-7721-997-0 FAX:49-7721-997-249